### WHY USE A DRUMQUIK® PRO?

Safety: Minimize spills, fumes and environmental impact

**Performance:** High flow capacity

**Easy:** Intuitive locking ring design for quick connection

**Durability:** Built to withstand harsh operating conditions

**FDA Materials:** Suitable for transfer of food products

**Vapor Management:** Ported vent allows control of fumes, blanket gas connection or pressure dispensing

**Economic:** Low cost for high volume, single-trip containers

**Recyclable Materials:** Allow easy disposal with containers








# DRUMQUIK® PRO

Dispensing System for Professional Chemical Management

#### SYSTEM INSTALLATION GUIDE



# Chemical Dispensing Made Easy

Simple steps to install and use the DrumQuik® PRO

#### Installation

The DrumQuik® PRO drum insert assembly replaces one of the drum's bung plugs and is torqued and shipped as part of the drum package.



1. Fully press dip-tube into drum insert socket.



2. Place the drum insert assembly in drum.



3. Torque insert with drum wrench or 1/2" drive torque wrench and a CPC torque socket tool (CPC PN 2408900).

Note: Contact CPC for torque recommendations.

### Dispensing

Remove the shipping plug from the drum insert assembly, then connect the DrumQuik PRO coupler, locking it into place.



1. Turn shipping plug counterclockwise to remove. (Use a large flat blade, #4 Phillips screwdriver or coin.)



2. Insert coupler into drum insert assembly.



3. Turn the coupler locking ring clockwise until stop is reached (approximately 2 full turns); valve is opened during this process.

# Vapor Management

Three vapor management options:

- 1. Fully open to vent vapors to the atmosphere.
- 2. Connect CPC check valve (e.g. 2879800) to allow make-up air in, without allowing fumes to escape.
- Connect a CPC quick disconnect coupling for blanket gas (N<sub>2</sub>, CO<sub>2</sub>) or for pressure dispensing.



1. Vent port fully open.



2. Vent port outfitted with CPC check valve.



3. Vent port shown with CPC quick disconnect coupling.