

iMAR SERIES

Specifications

COLOR:

MAR Smoke gray plastic case
Antenna Black

INTERFACE:

USB; connectorized cable included with antenna

OPERATING VOLTAGE:

5VDC

POWER CONSUMPTION:

1.2W maximum

RF COMMUNICATION RANGE:

Approximately 1"

COMPLIANCE:

RoHS, ISO 15693

CPC®

IdentiQuik® Multiple Antenna RF-enabled communicator (MAR) provides a convenient and economical solution for avoiding misconnections in a multiline environment. Designed to handle up to eight uid connections, the MAR eliminates larger, individual RF-enabled communicators, which reduces redundancy and complexity of system design. Like all IdentiQuik RF-enabled products, the MAR makes controlling, protecting and streamlining uid handling processes easier and more efficient. The MAR is compatible with all PLC12 panel-mounted bodies and PLC12 Series RFID-enabled inserts

FEATURE



BENEFIT

Palm-sized reader with one USB support to eight uid lines	Simplifies design integration by eliminating larger, individual RF-enabled communicators
Transfer of uid and information for each, low path	Identifies device types or connected media, verifies line connection and captures uid and product data
Modular, detachable configurations per uid line	Meets specifications for cables, coupling type, length, size and environment

Visit us at cpcworldwide.com or call to get a free catalog or to find your

iMAR SERIES DIMENSIONS

iMAR





A = Height

B = Total Length

C = Width

Antenna



iMARSeries



PRODUCT
iMAR

PART NUMBER
iMAR8000

A
0.94

B
4

C
24

Antenna



PRODUCT
ANTENNA

PART NUMBER
iANT100
iANT10410 (set of 4)

A

B
Cable: 39.37 inches (1.0 m)
Cable: 39.37 inches (1.0 m)

C

& 3>F _i0-303pJ/ uUš>@, 8 â7 x E ^ 8K>>' *DU\H \$XWRPDWLRQ & RP
_o >@, 1Y]i3p"} ^/ i ý ĀC & ' „r Ó
z iUš (PDLQ\DOHV#JDU\H FQ

:HLQVSEBQILGBWYHSHRLQWRQQHFwLRQ

Smart uid handling to take you forward, fast

cpcworldwide.com/ContactUs

WARRANTY: All sales are subject to Colder Products Company's limited express warranty set forth in the CPC catalog. Contact your local distributor or CPC Customer Service for warranty provisions.

Warning: Due to the wide variety of possible uid media and operating conditions, unintended consequences may result from the use of this product, all of which are beyond the control of CPC. It is the user's responsibility to carefully determine and test for compatibility for use with their application. All such risks shall be assumed by the buyer.

COPYRIGHT © 2017 BY OLDER PRODUCTS COMPANY. COLDER PRODUCTS COMPANY, COLDER PRODUCTS AND CPC ARE REGISTERED TRADEMARKS WITH THE US PATENT & TM